Geoscience Canada



The Volcanological and Structural Evolution of the Paleoproterozoic Flin Flon Mining District:

Anatomy of a Giant VMS System

Harold Gibson, Bruno Lafrance, Sally Pehrsson, Michelle DeWolfe, Kelly Gilmore and Renee-Luce Simard

Volume 39, Number 4, 2012

URI: https://id.erudit.org/iderudit/geocan39_4fs06

See table of contents

Publisher(s) The Geological Association of Canada

ISSN

0315-0941 (print) 1911-4850 (digital)

Explore this journal

Cite this document

érudit

Gibson, H., Lafrance, B., Pehrsson, S., DeWolfe, M., Gilmore, K. & Simard, R.-L. (2012). The Volcanological and Structural Evolution of the Paleoproterozoic Flin Flon Mining District:: Anatomy of a Giant VMS System. *Geoscience Canada*, *39*(4), 182–183.

All rights reserved © The Geological Association of Canada, 2012

This document is protected by copyright law. Use of the services of Érudit (including reproduction) is subject to its terms and conditions, which can be viewed online.

https://apropos.erudit.org/en/users/policy-on-use/

This article is disseminated and preserved by Érudit.

Érudit is a non-profit inter-university consortium of the Université de Montréal, Université Laval, and the Université du Québec à Montréal. Its mission is to promote and disseminate research.

https://www.erudit.org/en/

GAC–MAC 2013: Field Guide Summary

The Volcanological and Structural Evolution of the Paleoproterozoic Flin Flon Mining District: Anatomy of a Giant VMS System

GAC-MAC Winnipeg 2013, post-meeting field trip

Harold Gibson¹, Bruno Lafrance¹, Sally Pehrsson², Michelle DeWolfe^{3,1}, Kelly Gilmore⁴ and Renee-Luce Simard⁵

¹Mineral Exploration Research Centre Laurentian University Sudbury, ON, Canada, P3E 2C6 E-mail: hgibson@laurentian.ca

²Geological Survey of Canada, 601 Booth Street Ottawa, ON, Canada, K1A 0E8

³Department of Earth Sciences Mount Royal University 4825 Mount Royal Gate SW Calgary, AB, Canada, T3E 6K6

⁴HudBay Minerals Inc. Box 1500 Flin Flon, MB, Canada, R8A 0A2

⁵Northern Shield Resources Inc. 440-55 Metcalfe Street Ottawa, ON, Canada, K1P 6Z5

FIELD TRIP OBJECTIVES

The world-class, Paleoproterozoic, Flin Flon volcanic-hosted massive sulphide (VMS) district contains the Flin Flon, Callinan and 777 VMS deposits, which along with HudBay Mineral's smelter, sustains the communities of Creighton, Saskatchewan and Flin Flon, Manitoba. The Flin Flon VMS district is situated within the southwestern Trans-Hudson Orogen, the largest Paleoproterozoic orogenic belt of Laurentia. Using spectacular, clean and polished outcrops (Figs. 1-4), and underground exposures at HudBay's 777 mine (Fig. 5), this field trip will: 1) place the Flin Flon District in the context of the tectonic and magmatic evolution of a juvenile rifted volcanic-arc volcano; 2) showcase the spectacular flow, volcaniclastic and intrusive lithofacies that comprise this largely basaltic volcanic edifice; 3) reconstruct the volcanic and structural architecture and history of the district, including a large, synvolcanic subsidence structure referred to as the Flin Flon cauldron that hosts the VMS deposits; 4) demonstrate how subsequent deformation events have modified this primary volcanic feature and its contained

ore deposits; and 5) illustrate the role of volcanism and subsidence in the formation and location of VMS deposits, and the role of deformation in their modification.

This field trip will draw on the results of research conducted over the past decade by the Manitoba and Saskatchewan geological surveys,



Figure 1. Amygdaloidal, basaltic pillowed flow and synvolcanic basalt sill, Hidden Formation.



Figure 2. Coarse rhyolite-basalt block breccia, Millrock member.

Natural Resources Canada (Targeted Geoscience Initiative 1 and 3 programs), the Natural Sciences and Engineering Research Council (NSERC), Laurentian and Mount Royal Universities, and HudBay Minerals Inc. The field trip is an outgrowth of these collective efforts and presents a significant new interpretaVolume 39



Figure 3. Folded basaltic tuff above the Tower Rhyolite and in the hinge of the Hidden Lake syncline.



Figure 4. Folded Upper Railway thrust fault.



Figure 5. Copper-rich, banded massive sulfide ore, with magnetite, at Hudbay's 777 mine.

tion of the volcanic and structural control of the deposits that will be useful to researchers and explorationists in VMS terranes of any era.

OTHER INFORMATION Most of the out-

crops are accessible by road, but the trip will involve some hiking (~1 km) over moderately rugged topography. The outcrop surfaces are extremely slippery when wet. Parts of the field trip surface tour take place on the mine property of HudBay Minerals Inc. This area is restricted to the public and entrance to the property requires the permission of HudBay, and compulsory attendance at a safety/orientation course. Participants must bring sturdy safetytoed boots, and a hard hat and safety glasses if possible. Participants going underground at the 777 mine require fit testing for a respirator. They must be clean shaven to pass the respirator fit test, and without this test they will not be allowed underground.