



Five ways to counter ableist messaging in medical education in the context of promoting healthy movement behaviours Cinq façons de contrer le discours capacitiste en éducation médicale dans le contexte de la promotion de comportements sains en l'activité physique

Emma Faught, Tamara L Morgan et Jennifer R Tomasone

Volume 13, numéro 5, 2022

URI : <https://id.erudit.org/iderudit/1092465ar>

DOI : <https://doi.org/10.36834/cmej.74119>

[Aller au sommaire du numéro](#)

Éditeur(s)

Canadian Medical Education Journal

ISSN

1923-1202 (numérique)

[Découvrir la revue](#)

Citer ce document

Faught, E., Morgan, T. & Tomasone, J. (2022). Five ways to counter ableist messaging in medical education in the context of promoting healthy movement behaviours. *Canadian Medical Education Journal / Revue canadienne de l'éducation médicale*, 13(5), 82–86. <https://doi.org/10.36834/cmej.74119>

Résumé de l'article

Un Canadien sur cinq souffre d'un handicap. Cette population subit des inégalités bien documentées sur le plan des soins de santé, une situation qui découle en partie de l'éducation médicale. Dans cet article, nous mettons en évidence les conséquences involontaires du discours capacitiste véhiculé dans le contexte de la promotion de l'activité physique pour les personnes vivant avec un handicap. Compte tenu de l'influence de la communauté médicale et la confiance que lui témoigne le public, elle se doit de reconnaître. Nous proposons cinq stratégies pour contrer les discours capacitistes en éducation médicale : (1) renforcer les connaissances et la confiance des médecins et des stagiaires pour leur permettre d'optimiser les comportements kinésiques chez les personnes vivant avec un handicap, (2) effectuer des vérifications linguistiques pour garantir que la terminologie liée au handicap qu'emploient les personnes et les établissements est inclusive et n'entraîne pas de préjudices involontaires, (3) contrer efficacement le discours capacitiste, (4) répondre aux besoins de santé non satisfaits des personnes vivant avec un handicap, et (5) participer aux efforts de réforme des programmes d'études médicales afin que les personnes vivant avec un handicap soient représentées et traitées équitablement. Les médecins et les stagiaires occupent une position privilégiée pour offrir des soins compétents et inclusifs, ce qui fait de l'éducation médicale un cadre opportun pour combattre les inégalités en matière de soins liées au handicap.

© Emma Faught, Tamara L Morgan, Jennifer R Tomasone, 2022



Ce document est protégé par la loi sur le droit d'auteur. L'utilisation des services d'Érudit (y compris la reproduction) est assujettie à sa politique d'utilisation que vous pouvez consulter en ligne.

<https://apropos.erudit.org/fr/usagers/politique-dutilisation/>

Érudit

Cet article est diffusé et préservé par Érudit.

Érudit est un consortium interuniversitaire sans but lucratif composé de l'Université de Montréal, l'Université Laval et l'Université du Québec à Montréal. Il a pour mission la promotion et la valorisation de la recherche.

<https://www.erudit.org/fr/>

Five ways to counter ableist messaging in medical education in the context of promoting healthy movement behaviours Cinq façons de contrer le discours capacitiste en éducation médicale dans le contexte de la promotion de comportements sains en l'activité physique

Emma Faught,¹ Tamara L Morgan,² Jennifer R Tomasone²

¹School of Medicine, Queen's University, Ontario, Canada; ²School of Kinesiology and Health Studies, Queen's University, Ontario, Canada

Correspondence to: Emma Faught, Medical Student, Queen's University, 301-29 First Avenue, Ottawa, ON, K1S 2G1; email: emma.faught@queensu.ca

Published ahead of issue: June 27, 2022; published: Sept 1, 2022 CMEJ 2022, 13(5) Available at <https://doi.org/10.36834/cmej.74119>

© 2022 Faught, Morgan, Tomasone; licensee Synergies Partners. This is an Open Journal Systems article distributed under the terms of the Creative Commons Attribution License. (<https://creativecommons.org/licenses/by-nc-nd/4.0>) which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is cited.

Abstract

One in five Canadians have a disability and there are well-documented gaps in care for this equity-deserving group that have roots in medical education. In this paper, we highlight the unintended consequences of ableist messaging for persons living with disabilities, particularly in the context of promoting healthy movement behaviours. With its broad reach and public trust, the medical community has a responsibility to acknowledge the reality of ableism and take meaningful action. We propose five strategies to counter ableist messaging in medical education: (1) increase knowledge and confidence among physicians and trainees to optimize movement behaviours in persons living with disabilities, (2) perform personal and institutional language audits to ensure terminology related to disability is inclusive and avoids causing unintended harm, (3) challenge ableist messages effectively, (4) address the unmet healthcare needs of persons living with disabilities, and (5) engage in efforts to reform medical curricula so that persons living with disabilities are represented and treated equitably. Physicians and trainees are well-positioned to deliver competent and inclusive care, making medical education an opportune setting to address health inequities related to disability.

Résumé

Un Canadien sur cinq souffre d'un handicap. Cette population subit des inégalités bien documentées sur le plan des soins de santé, une situation qui découle en partie de l'éducation médicale. Dans cet article, nous mettons en évidence les conséquences involontaires du discours capacitiste véhiculé dans le contexte de la promotion de l'activité physique pour les personnes vivant avec un handicap. Compte tenu de l'influence de la communauté médicale et la confiance que lui témoigne le public, elle se doit de reconnaître. Nous proposons cinq stratégies pour contrer les discours capacitistes en éducation médicale : (1) renforcer les connaissances et la confiance des médecins et des stagiaires pour leur permettre d'optimiser les comportements kinésiques chez les personnes vivant avec un handicap, (2) effectuer des vérifications linguistiques pour garantir que la terminologie liée au handicap qu'emploient les personnes et les établissements est inclusive et n'entraîne pas de préjugés involontaires, (3) contrer efficacement le discours capacitiste, (4) répondre aux besoins de santé non satisfaits des personnes vivant avec un handicap, et (5) participer aux efforts de réforme des programmes d'études médicales afin que les personnes vivant avec un handicap soient représentées et traitées équitablement. Les médecins et les stagiaires occupent une position privilégiée pour offrir des soins compétents et inclusifs, ce qui fait de l'éducation médicale un cadre opportun pour combattre les inégalités en matière de soins liées au handicap.

Introduction

An estimated one in five Canadians over the age of 15 have a disability.¹ The United Nations define disability as any "long-term physical, mental, intellectual, or sensory impairments which, in interaction with various barriers, may hinder full and effective participation in society on an equal basis with others."² Persons living with disabilities (PLWD) use more health care services and access primary

care more frequently than the general population.³ Unfortunately, some health care providers report lacking the necessary knowledge and confidence to competently care for PLWD.^{4,5,6} Thus, while medical trainees will undoubtedly care for PLWD frequently, they require better preparation to deliver that care.

Given that a lack of knowledge can produce social biases and negative attitudes, medical education may

unintentionally foster ableism.⁵ Fundamentally, ableism refers to the differential valuation of abilities in society, which leads to discrimination towards PLWD.⁶ In the medical world, ableism may take insidious forms; for example, the underestimation of quality of life for PLWD,⁸ or lack of exposure to bodies with disability in case-based learning.⁹ Further, non-inclusive language used in medical education can have unintended consequences for PLWD that amount to ableism.¹⁰

One area where ableist messaging is pervasive in medical education is in discourse about movement behaviours (i.e., physical activity, sedentary behaviour, and sleep). Non-inclusive messages target people who are not living with disabilities and exclude those outside what would be considered ‘normal.’ For instance, prevalent messages like “sitting is the new smoking” or “sit less” not only overlook PLWD but are also discriminatory by disfavouring any person that cannot easily avoid sitting. When sitting is demonized or its negative impact on health is mischaracterized, the message is harmful to individuals who cannot stand (i.e., wheelchair users).¹¹ It is equally important to be cognizant of those who can only manage a certain level of activity before chronic fatigue or pain sets in (e.g., persons with fibromyalgia), or those who find sitting beneficial for their well-being (e.g., persons with developmental disabilities).¹¹ While consistent health messaging is important, consistently exclusionary messaging is counterproductive. Widespread public awareness and acceptance of popular messages are not excuses for normalizing ableism, particularly when popular messages can penetrate medical education and, subsequently, the lexicon of physicians and trainees.

It is important to acknowledge that ableist messaging may often be inadvertent. However, it is possible for us to simultaneously call attention to what harm has been done while affording one another the opportunity to learn and do better. At all stages of medical education, trainees are taught to communicate with patients in a way that conveys empathy and builds trust. Adopting more inclusive messaging in undergraduate medical courses offers a valuable opportunity to shape the language that trainees will use with future patients, including PLWD. Language matters and is a powerful tool that continues to evolve, with a positive trend towards eliminating prejudice and discrimination. This paper highlights the “black ice” of ableist messaging in medical education, and how to end the harmful pattern of undermining healthy movement

behaviours in PLWD and the consequent worsening of health outcomes.¹²

The strategies offered in this paper can be used to shift the tone of movement behaviour messaging in medical education. As part of broader efforts to enhance equity, diversity, inclusion, and accessibility, it is also the authors’ hope and objective that this paper will serve as a call for systemic change to medical education as it relates to disability.

Strategies to counter ableist messaging in medical education

1. Increase knowledge and confidence

As trusted sources of health information,¹³ physicians are well-positioned to offer counseling about movement behaviours; however, many medical professionals report a low level of confidence to do so.¹⁴ When disability or chronic health issues require special considerations for physical activity, this may present an added challenge for physicians that contributes to the underutilization of counseling.¹⁵ Institutions must ensure its physicians and trainees have disability-specific knowledge about how to engage in physical activity and the associated benefits related to participation among PLWD.¹² Gaining this knowledge starts with recognizing that people move in different ways, and that all movement counts and is beneficial.¹⁶ When movement behaviours are discussed in the context of disease prevention or management, PLWD should be explicitly recognized. Neglecting to do so may imply that disability precludes an individual from accessing the benefits of movement, which is harmful and untrue. Indeed, despite the well-established physical and mental health benefits associated with physical activity and reduced sedentary time,¹⁷ PLWD are 16-62% less likely to meet physical activity guidelines when compared to the general population.¹² A simple step towards inclusivity is to learn and share knowledge about movement in non-standing postures (e.g., stationary cycling, seated resistance training), examples of which can be incorporated into medical education where applicable.¹⁸ Resources are available to aid physicians in supporting physical activity among PLWD.¹⁹

2. Audit language to ensure inclusivity

In Canada, “person-first” language is considered most inclusive when communicating about disability, where the focus is shifted away from the medical condition and onto the individual (e.g., “person with a disability” rather than

“disabled person”).²⁰ The personal preferences of PLWD and the communities of which they are a part should also be considered (e.g., many individuals prefer to be referred to as “autistic” rather than “a person with autism”); however, certain terminology will always be inappropriate in a medical setting. Case in point, it is important to avoid language that causes harm, which includes derogatory terms (e.g., “crippled” instead of “person with a physical disability”), labels that define what is normal (e.g., “abled-bodied” instead of “person without a disability”), and phrases that are overly emotional and stigmatizing (e.g., “suffering from” instead of “experiencing” or “wheelchair bound” instead of “wheelchair user”). A common mistake in the context of movement behaviours is to equate sitting and sedentary behaviour. Sedentary behaviour is defined by an energy expenditure ≤ 1.5 metabolic equivalents and may occur in a seated posture; however, physical activity can also be done in a seated posture.²¹

A practical approach that physicians and trainees can use to audit their language is to (1) compare their language to a reputable standard,¹⁸ (2) create opportunities to apply inclusive language in clinical settings, and (3) remain adaptable as inclusive language evolves. Institutions, on the other hand, have the authority to set standards and the responsibility to guide members to achieve those standards. For instance, the Faculty of Health Sciences at Queen’s University has developed a “Style Guide” to promote the use of equitable and inclusive language when discussing disability and other identities.²² Other organizations have developed similar resources that academic institutions could also use in lieu of creating their own guide.²³ While such initiatives undoubtedly represent progress, they must be paired with strategies to maximize uptake. It is frankly not enough to create resources that are widely touted but seldom put into action—physicians and trainees should be strongly encouraged to view the use of inclusive language as an imperative. Institutions should also consider implementing requirements for all educational and public-facing materials to follow an inclusive language standard.

3. Challenge ableist messages

The message “get out of your chair, it’s killing you”—presented during a pre-clerkship lecture in medical school—was the provocation for this paper. The attitudes that such messages convey have no place in medical education or practice, and change will not come without advocates who challenge ableist messaging. When confronting ableism on an interpersonal level, advocates should make the

messenger aware of their use of non-inclusive language, acknowledging it may have been inadvertent. Then, alternative language that is inclusive and reasons why the change in language matters should be shared.¹¹ Health institutions and research groups also have a platform to shift the status quo of ableist messaging. For example, during formative research in the development of Canada’s 24-Hour Movement Guidelines for Adults, the tagline “Move more. Sit Less. Sleep Better.” was found to best foster confidence among Canadian adults and, thus, was highly favoured to be used in all public-facing materials.²⁴ However, the final tagline used to promote the guidelines was “Move more. Reduce sedentary time. Sleep better.” to lessen stigmatization towards those for whom sitting is essential or beneficial for their well-being.²⁴ It is these difficult yet necessary choices that will make movement behaviour messaging more universal.

4. Meet the needs of PLWD

Movement behaviour messaging is useful to illustrate ableism in medical education and practice, but does not capture the breadth of inequities facing PLWD in health care. Adults with disabilities are three times more likely to report unmet health care needs when compared to the general population in Canada.³ Unmet needs can be explained in large part by structural issues that demand policy-level solutions, but this does not absolve physicians and trainees of their responsibilities at the point of care. Trainees should be aware that PLWD are more likely to feel rushed and dismissed during clinical encounters and should be taught strategies to mitigate these feelings and preserve the confidence PLWD have in the quality of their care.³ Increased clinical exposure to PLWD, particularly where it might require adaptations of the typical approach to a history and physical examination, would also be beneficial.⁵ These efforts, which will combat ignorance about disability and prevent the formation of negative attitudes, are integral to addressing this ‘unmet needs’ problem.

5. Engage in curricular reforms

The care of PLWD deserves significantly more attention in undergraduate medical education and continued professional development than it is currently receiving, and a key to progress on this front is curricular reform. One approach to developing a medical curriculum to improve disability education has been described in detail by Symons et al. (2009) and its implementation was reported to be successful.⁴ The curriculum is goal-oriented, focusing on (1) building knowledge, (2) fostering positive attitudes, and (3) teaching skills (e.g. communication skills, assessment of

physical functioning).^{4,25} It includes classroom-based, community-based, clinical, and research components to facilitate a comprehensive experience for learners, and is evaluated across a range of outcomes.⁴ The attitudinal survey and formative feedback provided during Objective Structured Clinical Examinations are feasible ways for any institution to monitor its progress towards equity for PLWD, especially as it relates to inclusive language.⁴

Closing remarks

Medical schools are under increased scrutiny and pressure to improve their curricula with equity, diversity, inclusion, and accessibility as central tenets.²⁶ The objective of this paper was to argue that reform relating to disability education should be a top priority. Importantly, this is not a call to fit additional material into an already over-extended curriculum,^{27,28} but rather a proposal of five strategies for embedding inclusivity towards PLWD into the current model of medical education. Ableist movement behaviour messaging has gone unnoticed as “black ice” and, for that reason, it has merited emphasis in this paper; however, the entire landscape of disability-related medical education must change. Physicians and trainees are well-positioned to deliver competent and inclusive care, making medical education an opportune setting to address health inequities related to disability.

Conflicts of Interest: The authors have no conflict(s) of interest

Funding: This work was not funded.

References

1. Statistics Canada. *Canadian survey on disability, 2017* [Internet]. 2018 Nov 28. Available from: <https://www150.statcan.gc.ca/n1/en/daily-quotidien/181128/dq181128a-eng.pdf?st=Q-T9Q-uL>. [Accessed Oct 21 2021].
2. United Nations. *Convention on the rights of person with disabilities* [Internet]. 2006. Available from: <https://www.un.org/disabilities/documents/convention/convoptprot-e.pdf>. [Accessed Nov 4 2021].
3. McColl MA, Jarzynowska A, Shortt SE. Unmet health care needs of people with disabilities: population level evidence. *Disabil Soc*. 2010;25(2):205-18. <https://doi.org/10.1080/09687590903537406>
4. Symons AB, McGuigan D, Akl EA. A curriculum to teach medical students to care for people with disabilities: development and initial implementation. *BMC Med Educ*. 2009;9(1):1-7. <https://doi.org/10.1186/1472-6920-9-78>
5. Rotenberg S, Gatta DR, Wahedi A, Loo R, McFadden E, Ryan S. Disability training for health care workers: a global narrative systematic review. *medRxiv*. 2021 Aug 4. <https://doi.org/10.1101/2021.08.03.21261522>
6. lezzoni LI, Rao SR, Ressalam J, et al. Physicians' perceptions of people with disability and their health care. *Health Aff*. 2021 Feb;40(2):297-12. <https://doi.org/10.1377/hlthaff.2020.01452>
7. Wolbring, G. The politics of ableism. *Development*. 2008 Jun 1;51:252–258. <https://doi.org/10.1057/dev.2008.17>
8. Janz HL. Ableism: the undiagnosed malady afflicting medicine. *Can Med Assoc J*. 2019 Apr 20;191(17):E478-E479. <https://doi.org/10.1503/cmaj.180903>
9. Kirschner KL, Curry RH. Educating health care professionals to care for patients with disabilities. *JAMA*. 2009 Sep 23;302(12):1334–1335. <https://doi.org/10.1001/jama.2009.1398>
10. Martimianakis MA, D'Eon MF. Coming to terms with the languages we use in medical education: hidden meanings and unintended consequences. *Can Med Ed J*. 2021 Apr 30 12(2):e1-e8. <https://doi.org/10.36834/cmej.72505>
11. Smith B, Mallick K, Monforte J, Foster C. Disability, the communication of physical activity and sedentary behaviour, and ableism: a call for inclusive messages. *Br J Sports Med*. 2021;55:2221-1122. <http://dx.doi.org/10.1136/bjsports-2020-103780>
12. Ginis KA, van der Ploeg HP, Foster C, et al. Participation of people living with disabilities in physical activity: a global perspective. *Lancet*. 2021 Jul 21. [https://doi.org/10.1016/S0140-6736\(21\)01164-8](https://doi.org/10.1016/S0140-6736(21)01164-8)
13. Wattanapit A, Tuangratananon T, Thanamee S. Physical activity counseling in primary care and family medicine residency training: a systematic review. *BMC Med Educ*. 2018;18(1):1–7. <https://doi.org/10.1186/s12909-018-1268-1>
14. McFadden T, Fortier M, Sweet SN, Tomasone JR, McGinn R, Levac BM. Canadian medical students' perceived motivation, confidence and frequency recommending physical activity. *Prev Med Rep*. 2019;15:100898. <https://doi.org/10.1016/j.pmedr.2019.100898>
15. Hoffmann TC, Maher CG, Briffa T, et al. Prescribing exercise interventions for patients with chronic conditions. *Can Med Assoc J*. 2016 Apr 19;188(7):510-518. <https://doi.org/10.1503/cmaj.150684>
16. Ross R, Chaput JP, Giangregorio LM, et al. Canadian 24-Hour Movement Guidelines for Adults aged 18–64 years and Adults aged 65 years or older: an integration of physical activity, sedentary behaviour, and sleep. *APNM*. 2020;45(10):S57-102. <https://doi.org/10.1139/apnm-2020-0467>
17. Public Health Agency of Canada. *A common vision for increasing physical activity and reducing sedentary living in Canada: let's get moving* [Internet]. 2018 May 31. Available from: <https://www.canada.ca/content/dam/phac-aspc/documents/services/publications/healthy-living/lets-get-moving/pub-eng.pdf>. [Accessed Oct 21 2021].
18. Bassett-Gunter R, Angevaere K, Tomasone J, et al. A systematic scoping review: resources targeting the training and education of health and recreation practitioners to support physical activity among people with physical disabilities. *Disabil Health J*. 2019 Oct;12(4):542-550. <https://doi.org/10.1016/j.dhjo.2019.06.007>

19. Bassett-Gunter R, Ginis KA. Supporting physical activity among Canadians with physical disabilities: resources for health and recreation practitioners supporting physical activity among Canadians with physical disabilities [Internet]. 2019. Available from: <https://cdpp.ca/resources-and-publications/catalogue-resources-health-and-recreation-practitioners>. [Accessed Apr 7 2022].
20. Human Resources and Skills Development Canada. *A way with words and images: suggestions for the portrayal of people with disabilities* [Internet]. 2006. Available from: https://www.canada.ca/content/dam/esdc-edsc/migration/documents/eng/disability/arc/way_with_word_s.pdf. [Accessed Nov 4 2021].
21. Tremblay MS, Aubert S, Barnes JD, et al. Sedentary Behavior Research Network (SBRN) - terminology consensus project process and outcome. *Int J Behav Nutr Phys Act*. 2017 Jun 10;14(1):75. <https://doi.org/10.1186/s12966-017-0525-8>
22. Queen's University Faculty of Health Sciences. *Style guide: equity, diversity, and inclusion* [Internet]. 2021. Available from: <https://healthsci.queensu.ca/academics/edi/style-guide#abilities-disabilities>. [Accessed Nov 2 2021].
23. BC Centre for Disease Control. BCCDC covid-19 language guide: guidelines for inclusive language for written and digital content [Internet]. 2020 Jul. Available from: <http://www.bccdc.ca/Health-Info-Site/Documents/Language-guide.pdf>. [Accessed Mar 9 2022].
24. Fought E, Walters AJ, Latimer-Cheung AE, et al. Optimal messaging of the Canadian 24-Hour Movement Guidelines for Adults aged 18–64 years and Adults aged 65 years and older. *Appl Physiol Nutr Metab*. 2020;45(10):S125-50. <https://doi.org/10.1139/apnm-2020-0494>
25. Minihan PM, Robey KL, Long-Bellil LM, et al. Desired educational outcomes of disability-related training for the generalist physician: knowledge, attitudes, and skills. *Acad Med*. 2011 Sep 1;86(9):1171-8. <https://10.1097/ACM.0b013e3182264a25>
26. Canadian Medical Association. *CMA policy on equity and diversity in medicine* [Internet]. 2019 Dec 7. Available from: <https://policybase.cma.ca/en/viewer?file=%2fdocuments%2fpolicyPDF%2fPD20-02.pdf#phrase=false>. [Accessed Nov 16 2021].
27. Slavin S, D'Eon MF. Overcrowded curriculum is an impediment to change (Part A). *Can Med Ed J*. 2021 Sep 15;12(4):1-6. <https://doi.org/10.36834/cmei.73532>
28. Slavin S, D'Eon MF. Overcrowded curriculum is an impediment to change (Part B). *Can Med Educ J*. 2020;12(5):1–5. <https://doi.org/10.36834/cmei.73813>